

CY 2009 Statewide Stocking Plan

| Water | County | Number | Stocking Dates | Size | Species | Region | Source |
|------------------------|--------|--------|----------------|------|---------|--------|--------|
| Adams-McGill Reservoir | NY | 8,000 | Oct-Dec | 8 | RB | S | SCRS |
| | | 8,000 | | | | | |
| American Flat Creek | ST | 400 | Apr-May | 8 | RB | W | MVH |
| | | 400 | | | | | |
| Angel Lake | EL | 3,250 | Aug-Sep | 8 | RB | E | GH |
| Angel Lake | EL | 1,500 | Jul-Aug | 8 | TT | E | GH |
| Angel Lake | EL | 3,250 | Jun-Jul | 8 | RB | E | GH |
| | | 8,000 | | | | | |
| Angler Education | WA | 4,000 | Jun | 9+ | RB | W | MVH |
| | | 4,000 | | | | | |
| Ash Canyon Creek | CC | 675 | Jul | 7-8 | TT | W | MVH |
| | | 675 | | | | | |
| Barley Creek | NY | 2,400 | Mar-Jun | 8 | RB | S | MVH |
| | | 2,400 | | | | | |
| Beaver Dam Wash | LI | 2,000 | Mar-Jun | 8 | RB | S | SCRS |
| | | 2,000 | | | | | |
| Big Creek | LA | 1,000 | May-Jul | 8 | RB | W | SCRS |
| | | 1,000 | | | | | |
| Big Springs Reservoir | HU | 5,000 | May-Jun | 8 | RB | W | MVH |
| | | 5,000 | | | | | |
| Bilk Creek Reservoir | HU | 3,000 | May | 9+ | RB | W | MVH |
| | | 3,000 | | | | | |

| Water | County | Number | Stocking Dates | Size | Species | Region | Source | |
|---------------------------|--------|--------|----------------|------|---------|--------|--------|--|
| Blue Lakes | HU | 500 | Aug-Sep | 3 | RB | W | MVH | |
| Blue Lakes | HU | 1,500 | Aug-Sep | 4-5 | TT | W | MVH | |
| Blue Lakes | HU | 2,000 | Sep | 4 | BC | W | MVH | |
| | | 4,000 | | | | | | |
| Boulder City Fishing Pond | CL | 11,500 | Jan-Mar | 9+ | RB | S | MVH | |
| Boulder City Fishing Pond | CL | 12,600 | Oct-Dec | 9 | RB | S | MVH | |
| | | 24,100 | | | | | | |
| Boulder Reservoir | WA | 1,200 | Apr-May | 9+ | RB | W | MVH | |
| Boulder Reservoir | WA | 1,200 | Oct | 4 | RB | W | MVH | |
| | | 2,400 | | | | | | |
| Buena Vista Creek (WHP) | PE | 800 | May-Jun | 5-7 | TRB | W | MVH | |
| | | 800 | | | | | | |
| Carlin Pond | EL | 1,000 | Mar-Jun | 8 | RB | E | GH | |
| Carlin Pond | EL | 1,000 | Oct | 8 | RB | E | GH | |
| | | 2,000 | | | | | | |
| Carson River | CC | 3,500 | Mar-Jun | 8-10 | RB | W | MVH | |
| Carson River | LY | 2,000 | Mar-Jun | 8+ | RB | W | MVH | |
| Carson River | CC | 3,000 | Sep-Oct | 8-10 | RB | W | MVH | |
| Carson River | LY | 1,500 | Sep-Oct | 8+ | RB | W | MVH | |
| | | 10,000 | | | | | | |
| Carson River, EF | DO | 4,000 | Jun | 8+ | RB | W | MVH | |
| Carson River, EF | DO | 2,500 | Mar | 8+ | RB | W | MVH | |
| Carson River, EF | DO | 2,000 | Sep-Oct | 8+ | RB | W | MVH | |
| | | 8,500 | | | | | | |
| Carson River, EF Upper | DO | 1,500 | Mar | 8+ | RB | W | MVH | |
| | | 1,500 | | | | | | |

| Water | County | Number | Stocking Dates | Size | Species | Region | Source |
|--------------------------|--------|--------|----------------|------|---------|--------|--------|
| Catnip Reservoir | WA | 3,000 | Jun | 9 | LCT | W | MVH |
| | | 3,000 | | | | | |
| Cave Lake | WP | 12,500 | Apr-Jul | 8+ | RB | E | SCRS |
| Cave Lake | WP | 10,000 | Aug-Oct | 8+ | RB | E | SCRS |
| | | 22,500 | | | | | |
| Chiatovich Creek | ES | 2,500 | Mar-Jun | 9 | RB | S | MVH |
| | | 2,500 | | | | | |
| Clark County Urban Ponds | CL | 10,000 | Nov | 9 | RB | S | SCRS |
| | | 10,000 | | | | | |
| Cleve Creek | WP | 1,000 | May-Jun | 8+ | RB | E | SCRS |
| | | 1,000 | | | | | |
| Cold Creek Pond | CL | 1,000 | Mar-May | 9+ | RB | S | MVH |
| Cold Creek Pond | CL | 1,000 | Oct-Dec | 9 | RB | S | MVH |
| | | 2,000 | | | | | |
| Cold Creek Reservoir | WP | 2,000 | Apr | 8+ | RB | E | SCRS |
| Cold Creek Reservoir | WP | 1,500 | Oct | 8+ | RB | E | SCRS |
| | | 3,500 | | | | | |
| Cold Springs Reservoir | NY | 14,000 | Mar-Jun | 9 | RB | S | SCRS |
| Cold Springs Reservoir | NY | 14,000 | Oct | 8+ | RB | S | SCRS |
| | | 28,000 | | | | | |
| Cow Creek Reservoir | EL | 500 | May | 8 | RB | E | GH |
| | | 500 | | | | | |
| Coyote Creek (WHP) | PE | 500 | May-Jun | 5-7 | TRB | W | MVH |
| | | 500 | | | | | |

| Water | County | Number | Stocking Dates | Size | Species | Region | Source |
|------------------------|--------|--------|----------------|------|---------|--------|----------|
| Davis Creek Park Pond | WA | 4,000 | Mar-Jun | 10 | RB | W | MVH |
| Davis Creek Park Pond | WA | 600 | Sep | 10 | RB | W | MVH |
| | | 4,600 | | | | | |
| Derby Canal | LY | 4,000 | Apr-Jun | 10+ | RB | W | MVH |
| | | 4,000 | | | | | |
| Desert Creek | LY | 2,500 | May-Jun | 8 | RB | W | MVH |
| | | 2,500 | | | | | |
| Dorsey Reservoir | EL | 2,000 | Mar-Jun | 8 | RB | E | GH |
| | | 2,000 | | | | | |
| Dry Creek Reservoir | EL | 2,000 | Apr-Jun | 8 | RB | E | GH |
| | | 2,000 | | | | | |
| Eagle Valley Reservoir | LI | 32,000 | Mar-Jun | 9 | RB | S | SCRS/MVH |
| Eagle Valley Reservoir | LI | 7,000 | Oct | 8 | RB | S | SCRS |
| Eagle Valley Reservoir | LI | 5,000 | Sep-Oct | 8 | TT | S | MVH |
| | | 44,000 | | | | | |
| Echo Canyon Reservoir | LI | 13,000 | Mar-Jun | 9 | RB | S | SCRS/MVH |
| Echo Canyon Reservoir | LI | 4,000 | Oct | 9 | RB | S | SCRS |
| | | 17,000 | | | | | |
| Floyd Lamb Ponds | CL | 13,500 | Jan-Mar | 9+ | RB | S | MVH |
| Floyd Lamb Ponds | CL | 7,500 | Oct-Dec | 9 | RB | S | MVH |
| | | 21,000 | | | | | |
| Fuji Park Pond | CC | 4,000 | May-Jun | 9+ | RB | W | MVH |
| Fuji Park Pond | CC | 2,000 | Sep-Oct | 9 | RB | W | MVH |
| | | 6,000 | | | | | |
| Groves Lake | LA | 3,000 | May-Jul | 8 | RB | W | SCRS |
| | | 3,000 | | | | | |

| Water | County | Number | Stocking Dates | Size | Species | Region | Source |
|-----------------------|--------|--------|----------------|------|---------|--------|----------|
| Haymeadow Reservoir | NY | 16,000 | Mar-Jun | 9 | RB | S | MVH |
| Haymeadow Reservoir | NY | 17,000 | Oct-Dec | 8 | RB | S | SCRS/MVH |
| 33,000 | | | | | | | |
| Hinkson Slough | LY | 1,500 | Feb | 9+ | RB | W | MVH |
| Hinkson Slough | LY | 1,500 | Oct | 9+ | RB | W | MVH |
| 3,000 | | | | | | | |
| Hobart Reservoir | WA | 1,000 | Jun | 8+ | RB | W | MVH |
| Hobart Reservoir | WA | 500 | Sep | 8 | TT | W | MVH |
| 1,500 | | | | | | | |
| Illipah Reservoir | WP | 7,500 | Apr-May | 8+ | RB | E | SCRS |
| Illipah Reservoir | WP | 7,500 | Oct | 8+ | RB | E | SCRS |
| 15,000 | | | | | | | |
| Indian Creek (WHP) | PE | 800 | May-Jun | 5-7 | TRB | W | MVH |
| 800 | | | | | | | |
| Jakes Creek Reservoir | EL | 3,000 | Mar-Jun | 8 | RB | E | GH |
| Jakes Creek Reservoir | EL | 2,000 | Oct | 8 | RB | E | GH |
| 5,000 | | | | | | | |
| Jiggs Reservoir | EL | 2,000 | Mar-Jun | 8 | RB | E | GH |
| Jiggs Reservoir | EL | 2,000 | Oct | 8 | RB | E | GH |
| 4,000 | | | | | | | |
| Kingston Creek | LA | 1,000 | May-Jul | 8 | RB | W | SCRS |
| 1,000 | | | | | | | |
| Knott Creek Reservoir | HU | 2,500 | Sep | 9+ | BC | W | MVH |
| Knott Creek Reservoir | HU | 2,500 | Sep | 10 | TRB | W | MVH |
| Knott Creek Reservoir | HU | 1,000 | Sep-Oct | 8 | TT | W | MVH |
| 6,000 | | | | | | | |

| Water | County | Number | Stocking Dates | Size | Species | Region | Source |
|-------------------|-----------|--------|----------------|------|---------|--------|---------|
| Lake Mead | CL | 36,000 | Jan-Mar | 10 | RB | S | MVH/LMH |
| Lake Mead | CL | 15,000 | Nov-Dec | 10 | RB | S | LMH |
| | | 51,000 | | | | | |
| Lake Mohave | CL | 38,000 | Jan-Mar | 12 | RB | S | LMH |
| Lake Mohave | CL | 20,000 | Nov-Dec | 12 | RB | S | MVH/LMH |
| | | 58,000 | | | | | |
| Lake Tahoe | WA/D O | 8,000 | Apr-Jun | 10+ | RB | W | MVH |
| Lake Tahoe | WA/D O | 20,000 | Jul-Aug | 10+ | RB | W | MVH |
| Lake Tahoe | WA/D O | 10,000 | May-Jun | 9+ | RB | W | MVH |
| | | 38,000 | | | | | |
| Lamoille Creek | EL | 4,000 | Jul-Aug | 8 | TT | E | GH |
| | | 4,000 | | | | | |
| Lampe Park Pond | DO | 1,600 | Jun | 10+ | RB | W | MVH |
| | | 1,600 | | | | | |
| Leidy Creek | ES | 750 | Mar-Jun | 9 | RB | S | MVH |
| | | 750 | | | | | |
| Liberty Pond | CH | 4,000 | Mar-May | 10+ | RB | W | MVH |
| Liberty Pond | CH | 2,000 | Oct | 10+ | RB | W | MVH |
| | | 6,000 | | | | | |
| Lorenzi Park Pond | CL | 9,000 | Jan-Mar | 9+ | RB | S | MVH |
| Lorenzi Park Pond | CL | 6,000 | Oct-Dec | 9 | RB | S | MVH |
| | | 15,000 | | | | | |
| Marilyn's Pond | WA | 3,000 | Apr-Jun | 9+ | RB | W | MVH |
| Marilyn's Pond | WA | 1,000 | Sep | 9+ | RB | W | MVH |
| | | 4,000 | | | | | |

| Water | County | Number | Stocking Dates | Size | Species | Region | Source |
|-----------------------------|--------|--------|----------------|------|---------|--------|--------|
| Marlette Lake | WA | 4,000 | Jun | 9 | RB | W | MVH |
| Marlette Lake | WA | 3,000 | Jun | 9 | LCT | W | MVH |
| | | 7,000 | | | | | |
| Martin Slough | DO | 1,500 | Apr | 9+ | RB | W | MVH |
| Martin Slough | DO | 1,500 | Oct | 9+ | RB | W | MVH |
| | | 3,000 | | | | | |
| Mesquite Urban Pond (Hafen) | CL | 1,500 | Jan-Mar | 9+ | RB | S | MVH |
| Mesquite Urban Pond (Hafen) | CL | 3,000 | Oct-Dec | 9 | RB | S | MVH |
| | | 4,500 | | | | | |
| Mosquito Creek | NY | 500 | Mar-Jun | 8 | RB | S | MVH |
| | | 500 | | | | | |
| Mountain View Park Pond | LY | 1,400 | Mar-May | 9+ | RB | W | MVH |
| | | 1,400 | | | | | |
| North Pond | LY | 4,000 | Feb | 9+ | RB | W | MVH |
| | | 4,000 | | | | | |
| Onion Valley Reservoir | HU | 5,000 | Jun | 8 | BC | W | MVH |
| Onion Valley Reservoir | HU | 1,000 | May-Jun | 7 | RB | W | MVH |
| Onion Valley Reservoir | HU | 1,000 | Sep | 8 | TT | W | MVH |
| Onion Valley Reservoir | HU | 10,000 | Sep | 3 | BC | W | MVH |
| | | 17,000 | | | | | |
| Paradise Pond | WA | 2,000 | Mar-Jun | 9+ | RB | W | MVH |
| Paradise Pond | WA | 1,000 | Sep | 9+ | RB | W | MVH |
| | | 3,000 | | | | | |
| Peavine Creek | NY | 1,000 | Mar-Jun | 8 | RB | S | MVH |
| | | 1,000 | | | | | |

| Water | County | Number | Stocking Dates | Size | Species | Region | Source |
|----------------------------------|--------|--------|----------------|------|---------|--------|--------|
| Pine Creek | NY | 1,200 | Mar-Jun | 8 | RB | S | MVH |
| 1,200 | | | | | | | |
| Rancho San Rafael Park Pond | WA | 1,000 | Jun | 9 | RB | W | MVH |
| 1,000 | | | | | | | |
| Roberts Creek | EU | 500 | May | 8 | RB | E | SCRS |
| 500 | | | | | | | |
| Ruby High Lakes | EL | 4,000 | Aug | 2 | LCT | E | GH |
| 4,000 | | | | | | | |
| Ruby Lake NWR – Collection Ditch | EL | 500 | Mar | 8 | RB | E | GH |
| Ruby Lake NWR – Collection Ditch | EL | 3,000 | Oct | 7 | TT | E | GH |
| Ruby Lake NWR – Collection Ditch | EL | 6,000 | Oct | 9 | RB | E | GH |
| 9,500 | | | | | | | |
| Ruby Lake NWR - North Marsh | EL | 250 | Mar | 8 | RB | E | GH |
| Ruby Lake NWR - North Marsh | EL | 1,000 | Mar | 3 | BN | E | GH |
| Ruby Lake NWR - North Marsh | EL | 1,000 | Mar | 3 | TT | E | GH |
| Ruby Lake NWR - North Marsh | EL | 250 | Oct | 8 | RB | E | GH |
| 2,500 | | | | | | | |
| Ruby Lake NWR - South Lake | EL | 6,000 | Oct | 8 | RB | E | GH |
| 6,000 | | | | | | | |

| Water | County | Number | Stocking Dates | Size | Species | Region | Source | |
|---------------------------------------|--------|--------|----------------|------|---------|--------|--------|--|
| Ruby Lake NWR - South Springs | EL | 700 | Apr | 8 | RB | E | GH | |
| Ruby Lake NWR - South Springs | EL | 700 | Oct | 8 | RB | E | GH | |
| | | 1,400 | | | | | | |
| Ruby Lake NWR – South Springs & Units | EL | 950 | May | 3 | BN | E | GH | |
| Ruby Lake NWR – South Springs & Units | EL | 1,000 | Oct-Nov | 8 | TT | E | GH | |
| | | 1,950 | | | | | | |
| Ruby Lake NWR - Unit 10 | EL | 500 | Mar | 8 | RB | E | GH | |
| Ruby Lake NWR - Unit 10 | EL | 700 | Oct | 8 | RB | E | GH | |
| | | 1,200 | | | | | | |
| Ruby Lake NWR - Unit 21 | EL | 500 | Mar | 3 | TT | E | GH | |
| Ruby Lake NWR - Unit 21 | EL | 500 | Mar | 3 | BN | E | GH | |
| Ruby Lake NWR - Unit 21 | EL | 700 | Mar | 8 | RB | E | GH | |
| Ruby Lake NWR - Unit 21 | EL | 1,000 | Oct | 8 | RB | E | GH | |
| | | 2,700 | | | | | | |
| Rye Patch Pond | NY | 3,000 | Mar-Jun | 9 | RB | S | MVH | |
| | | 3,000 | | | | | | |
| Rye Patch Reservoir | PE | 500 | Mar | 9 | RB | W | MVH | |
| Rye Patch Reservoir | PE | 500 | Oct | 9 | RB | W | MVH | |
| | | 1,000 | | | | | | |
| Sacramento Pass Pond | WP | 300 | Apr-Jun | 8 | RB | E | SCRS | |
| Sacramento Pass Pond | WP | 200 | Sep-Oct | 8 | RB | E | SCRS | |
| | | 500 | | | | | | |

| Water | County | Number | Stocking Dates | Size | Species | Region | Source |
|------------------------|--------|--------|----------------|------|---------|--------|--------|
| Silver Creek Reservoir | WP | 4,500 | Apr-Jun | 8+ | RB | E | SCRS |
| Silver Creek Reservoir | WP | 1,500 | Oct | 8+ | RB | E | SCRS |
| 6,000 | | | | | | | |
| Small Streams | WA | 2,000 | May-Jun | 9+ | RB | W | MVH |
| 2,000 | | | | | | | |
| South Fork Reservoir | EL | 60,000 | Mar-May | 8 | RB | E | GH |
| South Fork Reservoir | EL | 10,000 | May | 3 | BN | E | GH |
| South Fork Reservoir | EL | 15,000 | Oct | 7 | BC | E | GH |
| South Fork Reservoir | EL | 15,000 | Oct | 8 | RB | E | GH |
| 100,000 | | | | | | | |
| Sparks Marina | WA | 10,000 | Mar-May | 10+ | RB | W | MVH |
| Sparks Marina | WA | 8,500 | Sep-Oct | 9+ | RB | W | MVH |
| 18,500 | | | | | | | |
| Spooner Lake | DO | 3,000 | Apr-May | 8 | RB | W | MVH |
| Spooner Lake | DO | 4,000 | Sep | 8 | BC | W | MVH |
| Spooner Lake | DO | 1,000 | Sep-Oct | 8 | TT | W | MVH |
| 8,000 | | | | | | | |
| Squaw Creek Reservoir | WA | 6,000 | Mar-Jun | 9+ | RB | W | MVH |
| Squaw Creek Reservoir | WA | 2,000 | Oct | 9-10 | TRB | W | MVH |
| Squaw Creek Reservoir | WA | 2,000 | Sep | 9+ | BC | W | MVH |
| Squaw Creek Reservoir | WA | 1,000 | Sep-Oct | 8 | TT | W | MVH |
| 11,000 | | | | | | | |
| Starr Creek (WHP) | PE | 2,000 | May-Jun | 5-7 | TRB | W | MVH |
| 2,000 | | | | | | | |
| Steptoe Creek | WP | 1,000 | May-Jun | 8+ | RB | E | SCRS |
| 1,000 | | | | | | | |

| Water | County | Number | Stocking Dates | Size | Species | Region | Source |
|--------------------------|--------|--------|----------------|------|---------|--------|--------|
| Sunset Park Pond | CL | 13,500 | Jan-Mar | 9+ | RB | S | MVH |
| Sunset Park Pond | CL | 8,500 | Oct-Dec | 9 | RB | S | MVH |
| | | 22,000 | | | | | |
| Tabor Creek | EL | 2,000 | May-Jun | 8 | RB | E | GH |
| | | 2,000 | | | | | |
| Tonkin Springs Reservoir | EU | 1,000 | May | 8 | RB | E | SCRS |
| | | 1,000 | | | | | |
| Topaz Canal | DO | 4,000 | Apr-Jun | 9+ | RB | W | MVH |
| | | 4,000 | | | | | |
| Topaz Lake | DO | 5,800 | Oct | 9 | BC | W | MVH |
| Topaz Lake | DO | 50,000 | Oct | 9+ | RB | W | MVH |
| Topaz Lake | DO | 2,500 | Oct | 8 | TT | W | MVH |
| | | 58,300 | | | | | |
| Trail Canyon Reservoir | ES | 4,000 | Mar-Jun | 9 | RB | S | MVH |
| | | 4,000 | | | | | |
| Truckee River | WA | 26,250 | Jul-Oct | 8+ | TRB | W | MVH |
| Truckee River | WA | 35,000 | Jun-Sep | 9+ | LCT | W | LNFB |
| Truckee River | WA | 8,750 | Mar | 8+ | TRB | W | MVH |
| | | 70,000 | | | | | |
| Virginia Lake | WA | 2,000 | Oct | 9+ | BC | W | MVH |
| | | 2,000 | | | | | |
| Walker Lake | MI | 10,000 | Feb-Mar | 6-7 | LCT | W | MVH |
| | | 10,000 | | | | | |
| Walker River, EF | LY | 12,000 | Apr-Jun | 9+ | RB | W | MVH |
| | | 12,000 | | | | | |

| Water | County | Number | Stocking Dates | Size | Species | Region | Source |
|-------------------------|--------|---------|----------------|------|---------|--------|--------|
| Walker River, WF | LY | 8,000 | Apr-Jun | 9+ | RB | W | MVH |
| Walker River, WF | LY | 5,800 | Sep-Oct | 8+ | RB | W | MVH |
| | | 13,800 | | | | | |
| Wall Canyon Reservoir | WA | 2,000 | Apr-May | 9-10 | TRB | W | MVH |
| Wall Canyon Reservoir | WA | 2,000 | Oct | 8+ | TRB | W | MVH |
| Wall Canyon Reservoir | WA | 2,000 | Oct | 9+ | BC | W | MVH |
| | | 6,000 | | | | | |
| White River | WP | 1,000 | May-Jun | 8+ | RB | E | SCRS |
| | | 1,000 | | | | | |
| Wildhorse Reservoir | EL | 75,000 | Apr-Jun | 8 | RB | E | GH |
| Wildhorse Reservoir | EL | 50,000 | May | 3 | BN | E | GH |
| Wildhorse Reservoir | EL | 30,000 | Oct | 9 | CB | E | GH |
| Wildhorse Reservoir | EL | 30,000 | Oct | 8 | RB | E | GH |
| Wildhorse Reservoir | EL | 8,500 | Sep-Oct | 7 | TT | E | GH |
| | | 193,500 | | | | | |
| Willow Creek Pond | LA | 2,000 | Aug-Sep | 8 | RB | E | GH |
| Willow Creek Pond | LA | 4,000 | May-Jun | 8 | RB | E | GH |
| | | 6,000 | | | | | |
| Wilson Common Park Pond | WA | 4,000 | Mar-Jun | 9+ | RB | W | MVH |
| Wilson Common Park Pond | WA | 500 | Sep | 9+ | RB | W | MVH |
| | | 4,500 | | | | | |
| Wilson Sink Reservoir | EL | 40,000 | Apr-Jun | 8 | RB | E | GH |
| Wilson Sink Reservoir | EL | 15,000 | Oct | 8 | RB | E | GH |
| | | 55,000 | | | | | |

| Water | County | Number | Stocking Dates | Size | Species | Region | Source |
|--------------------------------|--------|------------------|----------------|------|---------|--------|--------|
| Winnemucca Holding Pond (WHP) | HU | 12,000 | May-Jun | 5-7 | TRB | W | MVH |
| Winnemucca Holding Pond (WHP) | HU | 3,500 | Sep | 6 | TT | W | MVH |
| | | 15,500 | | | | | |
| Total Fish Stocked for CY 2009 | | 1,221,975 | | | | | |

2009 REGIONAL REQUEST SUMMARY

| EASTERN REGION | SPECIES | NUMBER |
|------------------------------|---------|----------------|
| Catchable | BC | 15,000 |
| | CB | 30,000 |
| | RB | 334,300 |
| | TT | 18,000 |
| Fingerling | BN | 62,450 |
| | LCT | 4,000 |
| | TT | 1,500 |
| EASTERN REGION TOTAL | | 465,250 |
| | | |
| SOUTHERN REGION | | |
| Catchable | RB | 349,950 |
| | TT | 5,000 |
| SOUTHERN REGION TOTAL | | 354,950 |
| | | |
| WESTERN REGION | | |
| Catchable | BC | 23,300 |
| | LCT | 51,000 |
| | RB | 241,500 |
| | TRB | 59,600 |
| | TT | 11,175 |
| Sub-Catchable | BC | 2,000 |
| | RB | 1,200 |
| | TT | 1,500 |
| Fingerling | BC | 10,000 |
| | RB | 500 |
| WESTERN REGION TOTAL | | 401,775 |

STATEWIDE REQUEST SUMMARY

| SPECIES | CATCHABLE | SUB-CATCHABLE | FINGERLING |
|--------------|------------------|---------------|---------------|
| Rainbow | 985,350 | 1,200 | 500 |
| Bowcut | 68,300 | 2,000 | 10,000 |
| Brown | - | - | 62,450 |
| Cutthroat | 51,000 | - | 4,000 |
| Tiger | 34,175 | 1,500 | 1,500 |
| TOTAL | 1,138,825 | 4,700 | 78,450 |

